

Lead Acid Battery 8m Driveable Baggage Conveyor Belt Loader For Regional And Wide Bodied Aircraft

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: GOODSENSE
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: Bare packaging
- Delivery Time: 30-40work days
- Payment Terms: T/T



Product Specification

- Optional Features: Full Cabin
- Place Of Origin: China
- Brand Name: Goodsense
- Name: Ground Support Equipment
- Condition: New
- Energy Supply: Reference Introduction
- Advantage: Safe And Stable
- Highlight: **battery baggage conveyor loader, battery baggage conveyor belt loader, 8m baggage conveyor loader**

for more products please visit us on rdforklift.com

Product Description

Lead-acid Battery 8m driveable belt loader Belt Loader for Regional and Wide Bodied aircraft

Description

Belt loader lead-acid battery from Zhejiang GOODSENSE Forklift Co.,Ltd

Our 8m driveable belt loader has a max height 4560mm min height 1650mm for Regional and Wide Bodied aircraft.

The Battery for the belt loader lead-acid battery is 80V, 450 AH. Traction Lead Acid Battery. There is an option for a 80V, 525AH or 307.2V/160AH Litium Battery.

The hydraulic system has an emergency hand pump providing control for the boom in case of failure of the system. The belt can hold a distributed weight of 1080kg. Belt speed minimum is 160 mm/s. The belt loader has safety guard rails fitted. The belt is made from 3 ply extruded rubber.



Dimensions

Boom Length: 8000 mm

Bed Width: 870 mm

Max Height at A/C end: 4560 mm

Min Height at A/C end: 1650 mm

Max Height at ramp end: 540 mm

Belt Width: 870 mm

Width between rails: 900 mm

Belt Speed (mini): 160 mm/s

Load capacity (distributed): 1080 kg

BLB80 is similar as our traditional diesel or gasoline conveyor belt loader except it is using electric driven, a green product. All major components are imported like, AC driving motor, hydraulic pump, Curtis controller. Like traditional conveyor belt loader, its belt speed can be adjusted to 500 millimeter per second. Its power pack can use either lead-acid or Li-ion. The former one can last for 1200 charging cycle while the latter one can last for 10 years with unlimited charging. It is suitable for all known aircraft.

GOODSENSE Conveyor Belt Loader BLB80 provides imperial firmness and dependability of baggage loading/unloading services on a wide variety of passenger aircraft.

The BLB80 belt loader is designed for stability, reliability, and lower maintenance, in which the bearing roller made of seamless steel tube, while driven roller adopts alterable transverse framework. The optimized design offers proven reliability and durability, considerably reduces the belt running differences, and makes restructuring easily.

Standard Features

Battery: 80V/450AH

Controller: Curtis

Steering: Hydraulic Steering System

Brake: parking brake

Tire: 225/70R15

Electric system: 12V DC

Stabilizer hydraulic, 2 numbers

Manual pump for emergency operation

Optional Features

Lithium battery

Full Cabin

Air conditioner

Belt width 870mm

Canopy

Handrail on both sides of boom

Fleet manage

Extreme Weather Packages





18367688514



gjg_0208@163.com



rdforklift.com

Room 606, East Building 3, Tengda Center, Jiaojiang District, Taizhou, Zhejiang, China