

# TA A TABLE TO THE TABLE TO THE

## Chinese Brand Compact Montacarga Forklift 10 Ton Diesel Forklift Truck With Japanese Engine

#### **Basic Information**

Place of Origin: China
Brand Name: Goodsense
Model Number: FD100
Minimum Order Quantity: Negotiable
Price: Negotiable
Packaging Details: Bare packaging
Delivery Time: 30-40work days

Payment Terms: T/T



#### **Product Specification**

Model Number: FD100 FD120
 Rated Loading Capacity: 10 TON 12 TON
 Core Components: Gear, Pump, Engine

Weight (KG): 13100 Kg
 Fork Length: 1520mm
 Fork Width: 175mm

• Overall Dimensions: 4280\*2170\*2830mm

Rated Capacity: 13100kg
Place Of Origin: China
Brand Name: Goodsense
Name: Forklift
Condition: New

Energy Supply: Reference Introduction
 Advantage: Small Vibration And Noise
 Highlight: compact montacarga forklift.



#### More Images







#### **Product Description**

Chinese brand compact montacarga forklift 10 ton diesel forklift truck with Japanese engine

- 1. Wide view mast design, ensure the driver has an excellent view, which makes loading and unloading operations more secure and efficient;
- 2.Load sensing priority steering hydraulic system design, flexible steering, mast lift speed increased by 20%;
- 3.All accessories like engine, gear box are support by domestic and world famous brand, high quality, reliable after-sales;
- 4. The overhead guard adopts the high strength steel sheet to press molding, providing more sophisticated security for the driver, it can also prevent wind and rain.

General	Model			FD100	FD120
	Power Type			Diesel	Diesel
	Rated Capacity			10000	12000
	Load Centre			600	600
Character istic&Dim ension	Lift Height		mm	3000	3000
	Fork Size	L×W×T	mm	1520×175× 85	1520×180×1 00
	Mast Tilt Angle	F/R	Deg	6°/12°	6°/12°
	Fork Overhang (Wheel center to fork face)			739	754
	Ground Clearance(Bottom of mast)		mm	230	230
	Overall Dimension	Length to face of fork(Without fork)	mm	4280	4685
		Overall Width	mm	2170	2200
		Mast Lowered Height	mm	2830	3080
		Mast Extended Height(With backrest)	mm	4335	4500
		Overhead Guard Height	mm	2510	2540
	Turning Radius (outside)		mm	3970	4700
Performa nce	Speed	Travel (Full load)	km/h	30	30
		Lifting (Full load)	mm/s	270	270
	Max.Gradeability		%	20	20

Chassis	Tyre		Front	mm	9.00-20- 14PR	11.00-20- 16PR
			Rear	mm	9.00-20- 14PR	9.00-20-14
	Wheelbase			mm	2800	3200
	Self weight			kg	13100	14500
Power&Tr ansmissio n	Batter y	Voltage	e/Capacity	V/Ah	(12/80) x 2	(12/80) x 2
	Engin e	Model			6BG1-QC02	QSB4.5- C130
		Manufacture			ISUZU	CUMMINS
		Rated output/r.p.m.		kw	82.4/2000	97/2200
		Rated torque/r.p.m.		N⋅m	416/1600	622/1500
		No.of Cylinder			6	6
		Bore×Stroke		mm	105×125	107×124
		Displacement		cc	6494	4500
		Fuel Tank Capacity		L	135	150
	Trans missio n	Туре			Hydraulic	Hydraulic
		Stag e	FWD/RVS		2/2	2/2



### Taizhou Ruidong Import and Export Co., Ltd







Room 606, East Building 3, Tengda Center, Jiaojiang District, Taizhou, Zhejiang, China